

COMSATS University Islamabad, Lahore Campus

Defence Road, Off Raiwind Road, Lahore

Tender No. CUI-LHR-TN-13-18-1115 Case # 2351

Single Stage Two Envelop Procedure

Title of Tender: Electrochemical Analyzer for Dr. Abdur Rahim, Department of IRCBM

TERMS AND CONDITIONS

- 1. All pages of bidding documents are mandatory to be signed / stamped, meaning thereby bidder agrees to our terms & conditions mentioned herein, failing which the bid may be rejected.
- 2. Any addition, deletion or modification of any clause of the procurement terms & conditions/BoQs of CUI, Lahore Campus by any vendor will not be acceptable and may lead to rejection of the bid.
- 3. Only registered Suppliers, who are on Active Taxpayers List (ATL) of FBR, are eligible to participate in tender.
- 4. The contract will be executed and handed over in satisfactory conditions up to the entire satisfaction of COMSATS University Islamabad, Lahore Campus.
- Documents along with Pay Order / Demand Draft amounting to <u>Rs. 1000/-</u> as a tender documents fee (Non-Refundable) shall be submitted in favor of COMSATS Institute of Information Technology, Lahore to the address given below. No bid will be accepted without tender documents' fee.
- 6. Part / Advance payments is not allowed.
- 7. <u>The exact completion/delivery time from the date of the purchase / work order will be 90 days (start from date of LC Opening)</u>. The handing over / completion time for this contract is of critical <u>importance</u>.
- 8. The bid proposal must be quoted inclusive of all freight and packing charges in C&F and to be delivered at Lahore Airport. COMSATS Lahore shall open the direct LC in favor of Principal and shall also clear the shipment from Custom Authorities.
- 9. After opening of bids, COMSATS University Islamabad, Lahore Campus will examine the bids for completeness as per tender document.
- 10. Purchase order (s) will be awarded to the lowest or technically recommended bidder (s) on the basis of item wise / subtotal wise / grand total wise according to the nature of BoQs.
- 11. The bid should be submitted in a sealed envelope up to <u>August 15, 2018</u> on or before <u>1400hrs</u> and will be opened on the same date <u>at 1430hrs</u> in the presence of available bidders.
- 12. COMSATS University Islamabad, Lahore Campus, will follow the PPRA rule of <u>single stage two envelope</u> <u>procedure;</u>

- i. The bid shall comprise a single package containing <u>two separate envelopes</u>. Each envelope shall contain separately the <u>financial proposal</u> and the <u>technical proposal</u>;
- ii. The envelopes shall be marked as "FINANCIAL PROPOSAL" and "TECHNICAL PROPOSAL" in bold and legible letters to avoid confusion;
- iii. Initially, only the envelope marked <u>"TECHNICAL PROPOSAL"</u> shall be opened;
- iv. The envelope marked as <u>"FINANCIAL PROPOSAL"</u> shall be retained in the custody of the procuring agency without being opened;
- v. The procuring agency shall evaluate the technical proposal in a manner prescribed in advance, without reference to the price and reject any proposal which does not conform to the specified requirements;
- vi. During the technical evaluation no **amendments** in the technical proposal shall be permitted;
- vii. The financial proposals of bids shall be opened publicly at a time, date and venue announced and communicated to the bidders in advance;
- viii. After the evaluation and approval of the technical proposal the procuring agency, shall at a time within the bid validity period, publicly open the financial proposals of the technically accepted bids only. The financial proposal of bids found technically nonresponsive shall be returned un-opened to the respective bidders;
- ix. and
- x. The bid found to be the lowest evaluated bid shall be accepted.
- 13. The envelope should be marked as under;

Secretary, Purchase Committee COMSATS University Islamabad (CUI), Lahore Campus Defence Road, Off Raiwind Road, Lahore. Tel: 042-111-001-007, Ext: 875

- 14. The envelope shall also bear the word "CONFIDENTIAL" and following identification quotation of <u>"Electrochemical Analyzer for Dr. Abdur Rahim, Department of IRCBM".</u>
- 15. The bid form (BoQs) must be duly filled in, stamped and signed by the authorized representative of the bidder.
- 16. If the vendor fails to deliver the goods / services to CUI-Lahore Campus in time then the penalty will be charged as under:
 - a. 1% per day of the invoice price for 5 working days.
 - b. 2% per day of the invoice price for further 5 working days.
 - c. If the vendor fails to deliver the goods / services during the extended period then the purchase / work order may be cancelled, earnest money and payment may be forfeited.
- 17. If the delivered goods / services are not according to the required quality standards / specifications, the same shall be liable to be rejected after inspection. The vendor would be required to supply as per requirements mentioned in our BoQs, otherwise the purchase / work order will be cancelled after due date with confiscation of earnest money.

- 18. Deduction of Income Tax and any other tax will be deducted at source according to Government prevailing rules.
- 19. Payment will be made on submission of Invoice in the name of "COMSATS University Islamabad, Lahore Campus" with a copy of delivery challan (s) after the complete order has been supplied, inspected and accepted which includes delivery / installation, and COMSATS acceptance / inspection thereof.
- 20. All prices should be quoted on (C&F basis inclusive of all freight charges uptil Lahore Airport).
- 21. All prices should be valid for at least <u>120 days</u>. Withdrawal or any modification of the original offer within the validity period shall entitle CUI-Lahore Campus to forfeit the earnest money in favor of the CUI-Lahore Campus and / or put a ban on such vendor participation in CUI tenders / works.
- 22. It is the sole responsibility of the agent / supplier / manufacturer to comply with the applicable laws, be national or international.
- 23. In case of any dispute or grievance, the matter shall be addressed as per PPRA rules.
- 24. The CUI-Lahore Campus reserves the right to modify the quantities of goods / services at any time before the award of purchase / work order.
- 25. The Successful/lowest bidder is required to submit the 05% of the total value of Purchase Order as a retention money in form of Call Deposit Receipt/ Local Bank Guarantee with the validity of Warranty Time Period i.e. (One Year) in favor of COMSATS University Islamabad (CUI), Lahore Campus and it will be released after the completion of warranty period, which start from the date of completion of work / installation.
- 26. The bidder is required to furnish in form of <u>Bank deposit/ CDR / Pay order equivalent to 2% of the</u> <u>total Bid price as Earnest Money crossed in favor of "COMSATS Institute of Information Technology,</u> <u>Lahore Campus</u>". Any bid not accompanied by Earnest Money shall be rejected without any right of appeal.
- 27. COMSATS University Islamabad, Lahore Campus reserves the rights to accept or reject the bid if;
 - i. Received without earnest money
 - ii. Received later than the date and time fixed for tender submission
 - iii. The tender is unsigned/ unstamped
 - iv. The offer is ambiguous
 - v. The offer is conditional
 - vi. The offer is from a firm, which is black listed by any Govt. Office.
 - vii. The offer is received by telephone/telex/fax/telegram.
 - viii. Any unsigned / ambiguous erasing, cutting / overwriting etc. is made.
- 28. The bidder should furnish a certificate as worded below in token of acceptance of all the terms and conditions of the tender otherwise the tender will not be considered under any circumstances.
- 29. The undersigned affirm that the terms and conditions as contained in this document have been read and accepted and that in the event of selection of my/our rate the agreement in the prescribed form will be entered into:

- <u>Company / Vendor Name:</u>.....
- <u>Postal Address:</u>.....

- <u>Signature:</u>
- Please also attach the Certificate supporting being Active Taxpayer as per requirement of FBR.


BoQs of Electrochemical Analyzer for Dr. Abdur Rahim, Department of IRCBM

<u>Technical Portion (Please mention the quoted model/brand in technical</u> portion with no mention of price otherwise the bid will be rejected)

No ch is allo (i.e. m lead t	Quoted Model Brand with meeting the all specifications				
Sr. #	Name	Specifications	Qua	ntity	
01	Electro chemical Analyzer	Electrochemical Workstation for electrochemical measurements requiring lower and higher currents especially in the area of Sensors, corrosion in bioelectrochemistry, coatings on microelectrode, batteries, Fuel cell and super capacitors Specifications Maximum Current ± 1.2 A or better Minimum Current Resolution 90 aA or better Maximum Applied Potential ± 32 V or better EIS 10 μ Hz - 1 MHz or better Potential accuracy +/- 0.2% Potential resolution 3 μ V Current resolution 0.0003% (of current range) Auxialry outputs Input port for Thermocouple Input Port for Current Output port for Voltage Input Port for additional Chanel Internal Signal Generator Output External Signal Generator Input Expansion Connector for Booster Miscellaneous I/O Connector software-controlled analog output input & output acquisition triggers software-controlled digital inputs & outputs Comprehensive suite of electrochemistry software for general physical chemistry	01	No.	

Impedance spectroscopy, pulsed voltammetrytechniques, corrosion science and charge discharge curve monitoring, 5 port scaled voltammetry cell capable of performing experiments with minimum I nu of electrolyte. Pt Working electrode with 3 mm working dimensions Ag/AgCl reference electrode (quantity = 2) Hg/HgCl-preference electrode along with polishing kit (quantity = 1) Warranty One Year Vendor must provide all the accessories relevant Vendor must provide all the accessories relevant ro analyze samples and data acquisition. Vendor must provide detailed installation and Vendor must provide detailed installation and raining of offered unit at customer place. Data Acquisition System Specifications: Specifications: Hp / Dell or equivalent -Windows original -Intel% Core i3 -17" diagonal IPS widescreen anti-glare backlit non-touch LCD (1920 x 1080) 01 -SuperMulti DVD writer -Intel% Core i3 -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One Year Power backup 01 No. Warranty One Year 01 No.	r				CUI-LHR-PUR-Tende
discharge curve monitoring. 5 port sealed voltammetry cell capable of performing experiments with minimum 1 ml of electrolyte. Pt Working electrode with 3 mm working dimensions Ag/AgCI reference electrode (quantity = 2) Hg/HgCI-perference electrode (Calomel electrode) (quantity = 2) Glassy carbon electrode along with polishing kit (quantity = 1) Warranty One Year Vendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition. Vendor must provide detailed installation and training of offered unit at customer place. Data Acquisition System Specifications: Hp / Dell or equivalent -Windows original -Intel® Core i3 -17" diagonal IPS widescreen anti-glare backlit nontouch LCD (1920 x 1080) 01 -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel® Core i3 -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables -Power and data cables Warranty One Year 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty 01 No. Mutomatic voltage Stabilizer Soro motor controlled digital branded system, 3000 01 No.					
5 port sealed voltammetry cell capable of performing experiments with minimum 1 ml of electrolyte. Pt Pt Working electrode with 3 mm working dimensions Ag/AgCl reference electrode (quantity = 2) Hg/HgCl3reference electrode (Calomel electrode) (quantity = 2) Glassy carbon electrode along with polishing kit (quantity = 1) Warranty One Year Vendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition. Vendor must provide detailed installation and training of offered unit at customer place. Data Data Acquisition Svstem Specifications: Hp / Dell or equivalent -Windows original -Intel® Core i3 -17" diagonal IPS widescreen anti-glare backlit non- touch LCD (1920 x 1080) 4 GB RAM (1 x 4 GB) -500 GB 7200 pm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One Year 01 No. Power backup 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty 01 No. Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments 01 No.					
experiments with minimum 1 ml of electrolyte. Pt Working electrode with 3 mm working dimensions Ag/AgCl reference electrode (quantity = 2) Hg/HgCl ₂ reference electrode (Calomel electrode) (quantity = 2) Glassy carbon electrode along with polishing kit (quantity = 1) Warranty One Year Vendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition. Vendor must provide detailed installation and training of offered unit at customer place. Data Acquisition System Specifications: Hp / Dell or equivalent -Windows original -Intel® Core i 3 01 -Intel® Core i 3 -500 GB 7200 rpm HDD 500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card 01 No. -Bower and data cables Warranty One Year 01 No. ZkVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty 01 No.					
Pt Working electrode with 3 mm working dimensions Ag/AgCl reference electrode (quantity = 2) Hg/HgClsreference electrode along with polishing kit (quantity = 2) Glassy carbon electrode along with polishing kit (quantity = 1) Warranty One Year Vendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition. vendor must provide detailed installation and training of offered unit at customer place. Data Acquisition System Specifications: Hp / Dell or equivalent -Windows original -Intel® Core i3 -17" diagonal IPS widescreen anti-glare backlit non-touch LCD (1920 x 1080) -4 GB RAM (1 x 4 GB) -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFri -Keyboard and Mouse -Power and data cables Warranty One Year 01 No. ZKVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty 01 No. Automatic voltage Stabilizer Sterm, 3000 01 No.					
dimensionsAg/AgCl reference electrode (quantity = 2) Hg/HgClpeference electrode (Calomel electrode) (quantity = 2) Glassy carbon electrode along with polishing kit (quantity = 1) Warranty One YearVendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition.Image: Comparison of the c					
Ag/AgCl reference electrode (quantity = 2) Hg/HgCl.reference electrode (Calomel electrode) (quantity = 2) Glassy carbon electrode along with polishing kit (quantity = 1) Warranty One Year Vendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition. Vendor must provide detailed installation and training of offered unit at customer place. Data Acquisition System Specifications: Hp / Dell or equivalent -Windows original -Intel® Core i3 -17" diagonal IPS widescreen anti-glare backlit non-touch LCD (1920 x 1080) -4 GB RAM (1 x 4 GB) -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One Year ZKVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty 01 No. Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 01 No.					
Hg/HgCl_referenceelectrode(Calomel electrode)(quantity = 2)Glassy carbon electrode along with polishing kit(quantity=1)Warranty One YearVendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition.Image: Comparison of the second se					
(quantity = 2) Glassy carbon electrode along with polishing kit (quantity= 1) Warranty One YearVendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition.Vendor must provide detailed installation and training of offered unit at customer place.Data Acquisition System Specifications: Hp / Dell or equivalent -Windows original -Intel® Core i3 -17" diagonal IPS widescreen anti-glare backlit non- touch LCD (1920 x 1080) -4 GB RAM (1 x 4 GB) -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One Year01No.Power backup 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty01No.Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments01No.					
Glassy carbon electrode along with polishing kit (quantity=1) Warranty One Year Image: Constraint of the second secon					
(quantity=1) Warranty One YearVendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition.Vendor must provide detailed installation and training of offered unit at customer place.Data Acquisition System Specifications: Hp / Dell or equivalent 					
Warranty One YearVendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition.Image: Construct of the system system of the system Specifications: Hp / Dell or equivalent -Windows original -Intel® Core i3 -17" diagonal IPS widescreen anti-glare backlit non- touch LCD (1920 x 1080) -4 GB RAM (1 x 4 GB) -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One YearO1No.Power backup 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warrantyO1No.Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipmentsO1No.					
Vendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition.Image: Construct of the second sec					
to instrument, which are necessary to analyze samples and data acquisition.Image: constraint of the second					
to instrument, which are necessary to analyze samples and data acquisition.Image: constraint of the second		Vendor must provide all the accessories relevant			
samples and data acquisition.Vendor must provide detailed installation and training of offered unit at customer place.Image: Constraint of the second sec					
training of offered unit at customer place.Image: Constraint of the second					
training of offered unit at customer place.Image: Constraint of the second		_			
Data Acquisition System Specifications: Hp / Dell or equivalent -Windows original -Intel® Core i3 -17" diagonal IPS widescreen anti-glare backlit non- touch LCD (1920 x 1080) -4 GB RAM (1 x 4 GB) -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One Year01No.Power backup 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty01No.Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments01No.					
Specifications: Hp / Dell or equivalent -Windows original -Intel® Core i3 -17" diagonal IPS widescreen anti-glare backlit non- touch LCD (1920 x 1080) -4 GB RAM (1 x 4 GB) -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One Year01No.Power backup 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty01No.Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments01No.					
Hp / Dell or equivalent -Windows original -Intel® Core i3 -17" diagonal IPS widescreen anti-glare backlit non- touch LCD (1920 x 1080) -4 GB RAM (1 x 4 GB) -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One Year01No.Power backup 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty01No.Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments01No.					
-Windows original -Intel® Core i3 -17" diagonal IPS widescreen anti-glare backlit non- touch LCD (1920 x 1080) -4 GB RAM (1 x 4 GB) -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One Year01No.Power backup 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty01No.Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments01No.					
-Intel® Core i3 -17" diagonal IPS widescreen anti-glare backlit non- touch LCD (1920 x 1080) -4 GB RAM (1 x 4 GB) -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One Year01No.Power backup 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty01No.Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments01No.					
-17" diagonal IPS widescreen anti-glare backlit non- touch LCD (1920 x 1080) -4 GB RAM (1 x 4 GB) -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One Year01No.Power backup 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty01No.Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments01No.					
touch LCD (1920 x 1080) -4 GB RAM (1 x 4 GB) -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One Year01No.Power backup 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty01No.Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments01No.					
-4 GB RAM (1 x 4 GB) -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One Year01No.Power backup 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty01No.Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments01No.					
-500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One YearImage: Comparison of the second s			01	NI-	
-SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One YearImage: Comparison of Co			01	NO.	
-Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One YearImage: Comparison of the two sets of the two sets of two sets		<u>^</u>			
-USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One YearImage: Comparison of the second seco		▲ ▲			
-Keyboard and Mouse -Power and data cables Warranty One YearImage: Comparison of the sector of		^			
-Power and data cables -Power and data cables Warranty One Year -Power backup 2KVA branded UPS pure sine wave with dry 01 batteries (minimum 30 min backup) and 1 year 01 warranty -Power backup Automatic voltage Stabilizer					
Warranty One YearImage: Constraint of the second secon					
Power backup 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty01No.Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments01No.					
ZKVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty 01 No. Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 01 No. Watt, usable for sensitive lab equipments 01 No.		•			
batteries (minimum 30 min backup) and 1 year warranty01No.Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments01No.					
warrantyImage: Constraint of the second			01	No.	
Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments01No.					
Servo motor controlled digital branded system, 300001No.Watt, usable for sensitive lab equipments01No.					
Watt, usable for sensitive lab equipments			01	No	
			VI	110.	
Warranty one Year for complete unit					
		Warranty one Year for complete unit			

- The vendor must have an Authorized Dealer in Pakistan of the quoted product (Certificate with Current Year's validity) must be attached with Technical bid otherwise bid may be rejected.
- The vendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition.



<u>Financial Portion (Price and Brand/Model to be mention only in Financial</u> Proposal in a separate sealed envelope)

<u>Pro</u>	posal in i	i separate sealed envelope	<u>!</u>					
No ch detail ment modi	No change in the BoQs (Specs & Qty.) of CUI-Lahore Campus, as detailed below, is allowed. Any additional information may be mentioned in the blank columns (i.e. model / brand or Price). Any modification in CUI-Lahore Campus BoQ may lead to rejection of bid (fully or partially).				Rates to be quoted in C&F with all freight & packing charges at Lahore Airport			
Sr. #	Name	Specifications	Quantity		Quoted Model / Brand / Make	Unit Price (C&F Lahore Airport) with mentioning of Quoted Currency	Total Price (C&F Lahore) with mentioning of Quoted Currency	
01	Electro chemical Analyzer	Electrochemical Workstation for electrochemical measurements requiring lower and higher currents especially in the area of Sensors, corrosion in bioelectrochemistry, coatings on microelectrode, batteries, Fuel cell and super capacitors Specifications Maximum Current ± 1.2 A or better Minimum Current Resolution 90 aA or better Maximum Applied Potential ± 32 V or better EIS 10 µHz - 1 MHz or better Potential accuracy +/- 0.2% Potential resolution 3 µV Current accuracy +/- 0.2% Current resolution 0.0003% (of current range) Auxialry outputs Input port for Thermocouple Input Port for Current Output port for Voltage Input Port for additional Chanel Internal Signal Generator Output External Signal Generator Input Expansion Connector for Booster Miscellaneous I/O Connector software-controlled analog output input & output acquisition triggers software-controlled digital inputs & outputs Comprehensive suite of electrochemistry software for general physical chemistry Impedance spectroscopy, pulsed	01	No.				

voltammetrytechniques, corrosion science and charge discharge curve monitoring. 5 port sealed voltammetry cell capable of performing experiments with minimum 1 ml of electrolyte. Pt Working electrode with 3 mm working dimensions Ag/AgCl reference electrode (quantity = 2) Hg/HgCl ₂ reference electrode (Calomel electrode) (quantity = 2) Glassy carbon electrode along with polishing kit (quantity= 1) Warranty One Year Vendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition. Vendor must provide detailed installation and training of offered unit at customer place.				
Data Acquisition System Specifications: Hp / Dell or equivalent -Windows original -Intel® Core i3 -17" diagonal IPS widescreen anti- glare backlit non-touch LCD (1920 x 1080) -4 GB RAM (1 x 4 GB) -500 GB 7200 rpm HDD -SuperMulti DVD writer -Intel HD Graphics card -USB, HDMI Ports, WiFi -Keyboard and Mouse -Power and data cables Warranty One Year	01	No.		
Power backup 2KVA branded UPS pure sine wave with dry batteries (minimum 30 min backup) and 1 year warranty	01	No.		

Automatic voltage Stabilizer Servo motor controlled digital branded system, 3000 Watt, usable for sensitive lab equipments	01	No.		
Warranty one Year for complete unit				

Special Terms and conditions;

- 1. The vendor must have an Authorized Dealer in Pakistan of the quoted product (Certificate with Current Year's validity) must be attached with Technical bid otherwise bid may be rejected.
- 2. The vendor must provide all the accessories relevant to instrument, which are necessary to analyze samples and data acquisition.
- 3. Please quote the rates on our BoQs and clearly mention the quoted model / brands, otherwise your bid / items may be rejected.
- 4. Purchase / work order (s) will be awarded on <u>Turnkey Basis</u> as mentioned in BoQs.
- 5. In Addition to filling of the attached BoQs, supporting literature of the quoted model must be attached for verification & technical evaluation of the required specification by the technical committee. In case of any clash is found between the quoted model and the literature model. So the item/bid may be rejected.
- 6. Kindly attach the Tender fee with Technical Bid and Bid money / CDR with Financial Bid.
- 7. Please submit the technical and financial bid (s) on our prescribed BoQs and clearly mention the quoted model / brands, otherwise your bid (s) may be rejected and also attach the terms and conditions (signed, stamped) with both bids.
- 8. <u>Multiple rates of an item may also lead to the rejection of bid / item.</u>