

COMSATS University Islamabad, Lahore Campus

Defence Road, Off Raiwind Road, Lahore

Tender No. CUI-LHR-TN-22-1585 Case # 3537

Single Stage One Envelope Procedure



<u>Title of Tender:</u> <u>Air Conditioners with Installation for CUI Lahore Campus</u>

A. GENERAL TERMS AND CONDITIONS

1. All pages of bidding documents are mandatory to be signed / stamped, meaning thereby bidder agrees to our terms & conditions mentioned herein, failing which the bid may be rejected.

- 2. Any addition, deletion or modification of any clause of the procurement terms &conditions/BoQs of CUI-Lahore Campus by any vendor will not be acceptable and may lead to rejection of the bid.
- 3. Only registered Suppliers, who are on Active Taxpayers List (ATL) of FBR (GST & Income Tax), are eligible to participate in tender.
- 4. The contract will be executed and handed over in satisfactory conditions up to the entire satisfaction of COMSATS University Islamabad, Lahore Campus.
- 5. Documents along with Pay Order / Demand Draft amounting to **Rs. 2500/-** as a tender document fee (Non-Refundable) shall be submitted in favor of COMSATS University Islamabad, Lahore Campus to the address given below. No bid will be accepted without tender documents' fee.
- 6. Part / Advance payments is not allowed.
- 7. The exact completion / delivery time from the date of the purchase / work order will be 15 days. The handing over / completion time for this contract is of critical importance.
- 8. Your bid proposal should be inclusive of freight and all taxes delivered at COMSATS University Islamabad, Lahore Campus's premises.
- 9. After opening of bids, COMSATS University Islamabad, Lahore Campus will examine the bids for completeness as per tender document.
- 10. In case more than one bidder have quoted same rates for an item; the bidder securing more items (in terms of cost) will be awarded the specific item.
- 11. Purchase order (s) will be awarded to the lowest evaluated or technically recommended bidder (s) on the basis of item wise / subtotal wise / grand total wise according to the nature of BoQs.
- 12. The bid should be submitted in a sealed envelope up to <u>April 28, 2022</u> on or before <u>1100hrs</u> and will be opened on the same date <u>at 1130hrs</u> in the presence of available bidders. In case of any holiday is announced by the Govt. OR any unforeseeable circumstances that prevent the tender from being opened on the date announced (Force Majure Situation), the tenders will be opened on the very next working day. Timing will remain as mentioned in the tender notice.
- 13. The envelope should be marked as under;

Secretary, Purchase Committee COMSATS University Islamabad, Lahore Campus

Defence Road, Off Raiwind Road, Lahore.

Tel: 042-111-001-007, Ext: 875

- 14. The envelope shall also bear the word "CONFIDENTIAL" and following identification quotation of "Air Conditioners with Installation for CUI Lahore Campus"
- 15. The bid form (BoQs) must be duly filled in, stamped and signed by the authorized representative of the bidder.
- 16. If the vendor fails to deliver the goods / services to COMSATS University Islamabad (CUI), Lahore Campus within the given deadline, any of the following can be opted by CUI Lahore campus on the recommendation of the end user and approval of the authority;

- a. An extension in the delivery period may be granted in case a valid reason/justification with necessary documentary evidence is provided by the vendor supporting the reason for delay.
- b. A penalty upto 10% of the invoice value may be charged.
- c. Purchase order may be cancelled along with confiscation of earnest money if the vendor fails to deliver the goods / services after the initial or extended delivery time, as the case may be.
- 17. If the delivered goods / services are not according to the required quality standards / specifications, the same shall be liable to be rejected after inspection. The vendor would be required to supply as per requirements mentioned in our BoQs, otherwise the purchase / work order will be cancelled after due date with confiscation of earnest money.
- 18. Deduction of Income Tax and any other tax will be deducted at source according to Government prevailing rules.
- 19. Payment will be made on submission of Invoice in the name of "COMSATS University Islamabad, Lahore Campus" with a copy of delivery challan (s) after the complete order has been supplied, inspected and accepted which includes delivery / installation, and COMSATS acceptance / inspection thereof.
- 20. All prices should be quoted on F.O.R (Pak Rupees).
- 21. All prices should be valid for at least <u>60 days</u>. Withdrawal or any modification of the original offer within the validity period shall entitle CUI- Lahore to forfeit the earnest money in favor of the CUI-Lahore and / or put a ban on such vendor participation in tenders / works.
- 22. It is the sole responsibility of the agent / supplier / manufacturer to comply with the applicable laws, be national or international.
- 23. In case of any dispute or grievance, the matter shall be addressed as per PPRA rules.
- 24. The CUI-Lahore Campus reserves the right to modify the quantities of goods / services at any time before the award of purchase / work order.
- 25. Any defective / sub-standard item (s) will be replaced by the bidder in same quoted cost. In case of failure to supply the specific item, CUI-Lahore may issue PO to next lowest bidder to supply the item while the difference of amount will be deducted from the 1st lowest bidder's earnest money.
- 26. The prices / cost will be considered as inclusive of all applicable taxes.
- 27. CUI-Lahore Campus shall disqualify any firm(s), if at any stage; it finds that the information submitted, or documents provided are inaccurate, fake, ambiguous or incomplete.
- 28. <u>05%</u> of the total value of <u>Warranty Item(s)</u> will be retained as security by COMSATS University Islamabad, Lahore Campus, and will be released after warranty period (<u>As Mentioned in BoQs</u>) which will be counted from the date of delivery / completion of work / supply.
- 29. The bidder is required to furnish in form of <u>Bank deposit</u>/ <u>CDR / Pay order equivalent to 2% of the total Bid price as Earnest Money crossed in favor of "COMSATS University Islamabad, Lahore Campus"</u>. Which shall be released after the completion of work / supply on submission of written request on firm / company letterhead. Any bid not accompanied by Earnest Money shall be rejected without any right of appeal.
- 30. COMSATS University Islamabad, Lahore Campus reserves the rights to accept or reject the bid if;
 - i. Received without earnest money
 - ii. Received later than the date and time fixed for tender submission
 - iii. The tender is unsigned/unstamped

- iv. The offer is ambiguous
- v. The offer is conditional
- vi. The offer is from a firm, which is black listed by any Govt. Office.
- vii. The offer is received by telephone/telex/fax/telegram.
- viii. Any unsigned / ambiguous erasing, cutting / overwriting etc. is made.
- 31. The bidder should furnish a certificate as worded below in token of acceptance of all the terms and conditions of the tender otherwise the tender will not be considered under any circumstances.
- 32. The undersigned affirm that the terms and conditions as contained in this document have been read and accepted and that in the event of selection of my/our rate the agreement in the prescribed form will be entered into:

| • | Company / Vendor Name: |
|---|-------------------------------------|
| • | Postal Address: |
| • | <u>Tel. / Mobile:</u> <u>Email:</u> |
| • | <u>NTN# :</u> <u>GST#:</u> |
| • | Signature: |

Please also attach the Certificate supporting being Active Taxpayer as per requirement of FBR.

B. BoQs of Air Conditioners with Installation for CUI Lahore Campus

Vendors are required to provide both unit and total price of each item and calculations must be made carefully to avoid mistakes. However, in case, total price does not match with the unit price and quantity due to calculation error or typo error, any of the following can be opted:

1. The bid may be rejected on the reason of ambiguity (OR)

No change in the BoOs (Specs & Oty.) of CUI-LHR. as detailed below, is allowed. Any

2. <u>Unit price will be considered as final and total price of the respective item will be calculated by multiplying it with the quantity required. Sub-totals and grand total will also be corrected accordingly</u>

| additional information may be mentioned in the blank columns (i.e. model / brand or Price). Any modification in CUI-LHR. BoQ may lead to rejection of bid (fully or partially). | | | | | Rates to be quoted inclusive of all (applicable) taxes | | |
|---|--|--|------|----|--|------------------------|--------------------------|
| Sr. # | Item Name & Specification | | Qty. | | Quoted Model / Brand | Unit Price (Rs.) | Total Amount (Rs.) |
| | Part-A (Turnkey Basis) | | | | | | |
| | 2 Ton Air Conditioners | | | | | | |
| 1 | Compressor Mitsubishi or equivalent, Refrigerant R22/R410a, Refrigerant Pipe Pure Grooved Copper, Golden Fins, Fixed Frequency, Cooling Capacity 24000 BTU, Power Supply (Ph/V/Hz) 1,220,50, Type Split AC wall mounted. Note: Three years comprehensive Warranty of Parts along with Compressor is required against satisfactory working condition | Haier, Orient, Pel, Gree or Equivalen t | Nos. | 15 | | | |
| 2 | Installation of 2 Ton Air Conditioner | | | | | | |

| | | | | C | UI-LHK | -PUK-Te | nder-001 |
|---|---|--|----------------|---------|-------------|-----------|----------|
| | MS Bracket for Outdoor 4.6mm thickness and paint on frame, unit with 3/4" dia PVC pipe (popular or equivalent) for drainage, Control wire flexible from indoor to outdoor as per required load, refrigerant copper pipe guage 22, 60mm x 60mm PVC duct (Adamjee or Equivalent) to cover insulated metal tubing between in-door and out-door units including the cost of carriage to site and fixing in position; lacquer spray on refrigerant copper pipe, all installation make with screws, complete in all respects and to the entire satisfaction of the engineer in charge. Note: 10 Rft refringent pipe including wire, drain pipe and PVC Duct will be provided with installation kit. Additional Refrigerant, Drain Pipe, Control wire and PVC Duct used if any will be separately charged. | Local | Job | 15 | | | |
| | Refrigerant Copper Pipe 2 Ton Simple (if extra from 10 Feet) 22 Guage | Muller or equivalent | RFT | 100 | | | |
| | Electric flexible control wire (if extra from 10 Feet) | GM or equivalent | RFT | 120 | | | |
| 3 | Drain Pipe 3/4" dia PVC (if extra from 10 feet) | Popular or equivalent | RFT | 50 | | | |
| | PVC Duct 60mm x 60mm (if extra from 10 feet) | Adamjee or equivalent | RFT | 50 | | | |
| | | | Sub Tot | al Amou | int (Rs.) o | of Part-A | |
| | Part-B (Turnkey Basis) | | | | | | |
| 4 | 1.5 Ton Air Conditioner Compressor Mitsubishi or equivalent, Refrigerant R22, Refrigerant Pipe Pure Grooved Copper, Fixed Frequency, Golden Fins, Cooling Capacity 18000 BTU, Power Supply (Ph/V/Hz) 1,220,50, Type Split AC wall mounted. Note: Three years comprehensive Warranty of Parts along with Compressor is required against satisfactory working condition. Installation of 1.5 Ton Air Conditioner | Haier, Orient, Pel, Gree or Equivalen t | Nos. | 5 | | | |
| 5 | MS Bracket for Outdoor 4.6mm thickness and paint on frame, unit with 3/4" dia PVC pipe (popular or equivalent) for drainage, Control wire flexible from indoor to outdoor as per required load, refrigerant copper pipe guage 22, 60mm x 60mm PVC duct (Adamjee or Equivalent) to cover insulated metal tubing between in-door and out-door units and PVC drainage pipe; including the cost of carriage to site and fixing in position; | | Job | 5 | | | |

| | Part-C (Turnkey Basis) | | | | | |
|---|---|--|---------|---------|---------------------|----------|
| | | | Sub Tot | al Amou | unt (Rs.) of Part-B | |
| | PVC Duct 60mm x 60mm (if extra from 10 feet) | Adamjee or equivalent | RFT | 40 | | |
| | Drain Pipe 3/4" dia PVC (if extra from 10 feet) | Popular or equivalent | RFT | 40 | | |
| 8 | Electric flexible control wire (if extra from 10 Feet) | GM or equivalent | RFT | 40 | | |
| | Refrigerant Copper Pipe 1.5 Ton Inverter (if extra from 10 Feet) 22 Guage | Muller or equivalent | RFT | 15 | | |
| | from 10 Feet) 22 Guage | equivalent | RFT | 30 | | |
| 7 | (popular or equivalent) for drainage, Control wire flexible from indoor to outdoor as per required load, refrigerant copper pipe guage 22, 60mm x 60mm PVC duct (Adamjee or Equivalent) to cover insulated metal tubing between in-door and out-door units and PVC drainage pipe; including the cost of carriage to site and fixing in position; lacquer spray on refrigerant copper pipe, all installation make with screws, complete in all respects and to the entire satisfaction of the engineer in charge. Note: 10 Rft refrigerant pipe including wire, drain pipe and PVC Duct will be provided with installation kit. Additional Refrigerant, Drain Pipe, Control wire and PVC Duct used if any will be separately charged. Refrigerant Copper Pipe 1.5 Ton Simple (if extra | Muller or | Job | 1 | | |
| | Installation of 1.5 Ton Air Conditioner Inverter Heat & Cool MS Bracket for Outdoor 4.6mm thickness and paint on frame, unit with 3/4" dia PVC pipe | | | | | |
| 6 | DC Inverter, Cooling Capacity 18000 BTU, Rated Power (W) cooling 400-2200), Power Supply (Ph/V/Hz) 1,160~220,50, Current capacity (cooling) on running Maximum 5.0 Amp, Low voltage operated, Golden Fins, EER 3.20, Power Supply (PH/V/Hz): 1/220/50 Energy Efficient Electricity Saving up to 60%, Low voltage startup up to 155V, Auto restart after power failure, Type Split AC wall mounted. Note: Three years comprehensive Warranty of Parts along with Compressor is required against satisfactory working condition | Haier, Orient, Pel, Gree or Equivalen t | Nos. | 1 | | |
| | Cool Compressor Hitachi or equivalent, Refrigerant R410a, Refrigerant Pipe Pure Grooved Copper, | | | | | |
| | be separately charged. 1.5 Ton Air Conditioner (DC Inverter) Heat & | | | | | |
| | installation kit. Additional Refrigerant, Drain Pipe, Control wire and PVC Duct used if any will be convertely charged. | | | | UI-LHR-PUR-Te | <u> </u> |

| | CUI-LHR-PUR-Tender-001 | | | | | | naer-vvi |
|----|---|--|----------------|---------|-------------|----------|----------|
| | 4 Ton Air Conditioner | | | | | | |
| 9 | Indoor Type: Cabinet Type, Capacity(Ton): 4.0 Ton, Controller: Remoter, Compressor: Hitachi, Refrigerant: R22, Golden Fins, Special Point: 15m long distance airflow supply Wide angle 160° air sending, Cooling (Btu/h): 48000,Rated Power cooling (KW) 14 Rated Power Input (kW): 5.37, EER/ COP (W/W): 2.61, Note: Three years comprehensive Warranty of Parts along with Compressor is required against satisfactory working condition | Haier, Orient, Pel, Dawlance, Waves or Equivalen t | Nos. | 27 | | | |
| | Installation of 4 Ton Air Conditioners | | | | | | |
| 10 | MS Brackets for Indoor and Outdoor units 4.6mm thickness and paint on frame, with 3/4" dia PVC pipe (popular or equivalent) for drainage, control wire from indoor to outdoor as per required load, refrigerant copper pipe guage 22, 60mm x 60mm PVC duct (Adam Jee or Equivalent) to cover insulated metal tubing between in-door and outdoor units and PVC drainage pipe; including the cost of carriage to site and fixing in position; lacquer spray on all copper pipes, all installation make with screws, complete in all respects and to the entire satisfaction of the engineer in charge. Note: 10 Rft refrigerant pipe including wire and drain pipe will be provided with installation kit. Additional pipe used if any will be separately charged. | | Job | 27 | | | |
| | Refrigerant Copper Pipe 4 Ton (if extra from 10 Feet) 22 Guage | Muller or equivalent | RFT | 100 | | | |
| 11 | Electric flexible control wire (if extra from 10 Feet) | GM or equivalent | RFT | 100 | | | |
| 11 | Drain Pipe 3/4" dia PVC (if extra from 10 feet) | Popular or equivalent | RFT | 50 | | | |
| | PVC Duct 60mm x 60mm (if extra from 10 feet) | Adamjee or equivalent | RFT | 50 | | | |
| | | | Sub Tot | al Amou | int (Rs.) o | f Part-C | |
| | Part-D (Turnkey Basis) | | | | | | |
| 12 | Cable 10 mm ² , 4 Core copper conductor PVC Insulated PVC Sheathed. Full guage and insulation under specification BS EN 60228, BS 6346 | GM or equivalent | Meter | 100 | | | |
| 13 | Providing Services for laying in position Cable 10mm in 2" Polythene Pipe and in excavation, including cost of 2" Polythene Pipe, digging size depth 2.5 feet, Width 2 Feet including back filling with brick and sand and balance soil clear from site. Including making connection with ACs and D.Bs & all thimbles and nut bolts as required | | Meter | 100 | | | |

| | | | | | OI-LIIK-I OK-I | |
|----|--|-----------------------------|-------|----|----------------|-------------|
| 14 | Breaker 3 Pole MCCB 30 amp with Box water proof | Legrand or equivalent | Nos. | 16 | | |
| 15 | Providing Services for installation of Breaker 3 pole MCCB in Position with allied accessories and Nut Bolts. | Legrand or equivalent | Job | 16 | | |
| 16 | Providing and fixing in Position breaker 20 Amp 2 Pole with Box Plastic PVC Type with allied accessories and Nut Bolts. | Legrand or equivalent | Job | 30 | | |
| 17 | Cable 35mm ² 4 Core copper conductor PVC Insulated PVC Sheathed. Full guage and insulation under specification BS EN 60228, BS 6346 | GM or equivalent | Meter | 50 | | |
| 18 | Providing Services for laying in position Cable 35mm in 2" Polythene Pipe (including cost of 2" Polythene Pipe) and in excavation size depth 2.5 feet, Width 2 Feet including back filling with brick and sand and excavated soil and balance soil clear from site with compacting. Including making connection with ACs and D.Bs & all thimbles and nut bolts as required. | | Job | 50 | | |
| 19 | Cable 7/0.52, 2 Core copper conductor PVC Insulated PVC Sheathed. Full guage and insulation under specification BS EN 60228, BS 6346 | GM or equivalent | Meter | 60 | | |
| 20 | Providing Services for laying in position Cable 7/0.52 2 Core in 2" Polythene Pipe (including cost of 2" Polythene Pipe) and in excavation size depth 2.5 feet, Width 2 Feet including back filling with brick and sand and excavated soil and balance soil clear from site with compacting. Including making connection with ACs and D.Bs & all thimbles and nut bolts as required. | | Job | 60 | | |
| | Sub Total Amount (Rs.) of Part-D | | | | | |

C. BID EVALUATION CRITERIA

All bids shall be evaluated in accordance with the following evaluation criteria and other terms & conditions set forth in this bidding document.

- 1. The bids shall be evaluated to strictly ensure that the quoted brand / model meet all the BoQ/ specification requirements given in the bidding document for each item.
- 2. In addition to the BoQ requirements, vendors must meet the vendor qualification criteria /company profile requirements (if any), as set forth in this tender document.
- 3. Supporting literature (where available / required) of the quoted brand / model must be attached for verification & technical evaluation of the required specification by the technical committee. In case of any clash is found between the quoted model and the supported literature may lead to rejection of bid.

D. Special Terms and conditions;

- 1. Only Original Equipment Manufactures / Authorized Distributers of the quoted brand is eligible to participate in Part-A, B & C (Air Conditioners). Copy of the valid authorization certificate from principal / Manufacturer must be attached failing which may lead to the rejection of bid.
- 2. The payment of RFT quoted items (Sr. # 03, 08 & 11) will be made as per actual measurements.
- 3. Brand name / model must be mentioned against items where required failing which the bid / item (s) may be rejected. Manufacturing origin can only be accepted against items where mentioned specifically in the BoQ form.
- 4. Bidders are requested to quote genuine / quality products without compromising on quality. The supplied products shall be inspected by our technical experts with respect to BoQs requirements and quality standards.
- 5. Bidders are advised to submit the bid on the prescribed BoQs of COMSATS University Islamabad, Lahore Campus and clearly mention the quoted model / brands as required in the BoQs with complete terms and conditions signed, stamped, otherwise your item(s) / bid may be rejected.
- 6. Multiple rates of an item may also lead to the rejection of bid / item.
- 7. Purchase / work order shall be awarded to evaluated lowest bidder (s) on Part wise sub total amount basis.